This listing of claims will replace all prior versions and listings of claims in the

application:

Listing of Claims:

1. (Original) A laundry additive composition comprising one or more perfume components in

slow release form and wherein the release kinetics are controlled so as to provide a fabric delivery

index for dry versus wet fabrics of at least 0.3.

2. (Original) A composition according to Claim 1, wherein the one or more perfume components

has a fabric delivery index of at least 0.5.

3. (Original) A composition according to Claim 1 additionally comprising at least one other

perfume component of a different composition and olfactory character having a fabric delivery

index for dry versus wet fabrics of less than 0.1.

4. (Original) A composition according to Claim 1, wherein the perfume component is

encapsulated with a water-soluble or dispersible encapsulating agent.

5. (Original) A composition according to Claim 1, wherein the perfume component is absorbed

on a porous carrier material.

6. (Original) A laundry detergent composition comprising the laundry additive composition of

Claim 1.

7. (Original) A laundry detergent composition according to Claim 6 comprising from 0 wt% to

26 wt% phosphate.

8. (Withdrawn) A process for preparing a solid perfume particle suitable for use in laundering,

the process comprises the steps of:

a) contacting a perfume component with a porous carrier material, to form a perfume-

loaded material; and

Page 2 of 7

Appl. No. 10/635,186 Atty. Docket No. CM2684 Amdt. Dated September 9, 2005 Reply to Office Action of June 17, 2005

Customer No. 27752

- b) contacting the perfume-loaded material with an aqueous solution or dispersion of encapsulating material, to form an intermediate mixture; and
- c) drying of the intermediate mixture to form a perfume particle, wherein, the perfume-loaded material is in contact with the aqueous solution or dispersion of encapsulating material for a period of time of less than 120 minutes prior to drying.
- 9. (Withdrawn) A process according to Claim 8, wherein, in step (b), the perfume-loaded material is in contact with the aqueous solution or dispersion of encapsulating material for a period of time of less than 30 minutes.
- 10. (Withdrawn) A process according to Claim 8, wherein step (b) is carried out at a temperature of less than 50°C.
- 11. (Withdrawn) A process according to Claim 8, wherein, step (b) occurs in a low shear mixer.
- 12. (Withdrawn) A process according to Claim 8, wherein, in step (c), the perfume-loaded material is spray dried in a spray-drying tower, and wherein further, the difference in temperature between the inlet air temperature and the outlet air temperature in the spray-drying tower is less than 100°C, preferably less than 80°C.
- 13. (Withdrawn) A perfume particle obtainable by the process of Claim 8, wherein the particle has release kinetics such that it provides a fabric delivery index of at least 0.3.
- 14. (Withdrawn) A laundry composition comprising a particle according to Claim 13.
- 15. (Withdrawn) A method of perfuming a fabric, comprising the step of contacting a composition according to Claim 1, with a fabric.
- 16. (Withdrawn) A method of perfuming a fabric, comprising the step of contacting a perfume particle according to any of Claim 4, with a fabric.
- 17. (Withdrawn) A method of perfuming a fabric, comprising the step of contacting a composition according to Claim 14, with a fabric.

Appl. No. 10/635,186 Atty. Docket No. CM2684 Amdt. Dated September 9, 2005 Reply to Office Action of June 17, 2005 Customer No. 27752

- 18. (Withdrawn) A method of perfuming a fabric, comprising the step of contacting a perfume particle according to any of Claim 13, with a fabric.
- 19. (Withdrawn) A composition according to Claim 5, wherein said porous carrier material is an aluminosilicate.